

THEATRE HALL



DOMMELHOF

TECHNICAL DATA

01/2019 | version 1.0

TECHNICAL COORDINATOR	HOUSEKEEPER	OTHER CONTACT
Bart Heijnen bart.heijnen@limburg.be +32 (0)477 923 254 +32 (0)11 80 5019	Jo Hulsbosch jo.hulsbosch@limburg.be +32 (0)473 695 078 +32 (0)11 80 5017	Dommelhof Secretariaat dommelhof@limburg.be +32 (0)11 80 5000

Venue

The theatre hall is centrally situated in Provincial Domain Dommelhof, and is a venue without an orchestra pit. The venue is multifunctional and can be used for a wide variety of performances, shows, theatre, circus, dance,... It has a capacity of 369 people and consists of 1 middle aisle and 2 side aisles. Because of visibility (or the lack of it) those 2 side aisles (total of 58 persons) can sometimes be less ideal. please take this into consideration.


There are 4 emergency exits in the venue, one on each side (left and right) and 2 in the back. These should never be blocked. It's also explicitly forbidden to sit on the stairs during performances.

At the back of the hall there's a control cabin which has full technical accommodations for controlling sound and light. The cinema projector is also placed here. This cabin is only accessible through the hall. Technical control could also be placed at 3 different spots in the hall itself, yet this may result in blocking 8 to 14 seats.

In total 8 wheel chairs can be placed on the aisles, but this results in losing regular seats. (for 2 wheel chairs, you lose 3 seats). Please keep this in consideration and communicate this in advance.

Stage decks (scissors system up to 1 meter, with surface 1m x 2m) are available. These do need to be reserved before arrival.

Seats	369
Balcony	none
Main lights	Manual or DMX controlled A507 - 508 – 509



Stage

Measurements useful space including frontstage

- Width 12 m at the curtain
- Depth 11 m from front stage to night blue backdrop
12.50 m from front stage to back wall
8.50 m from curtain to night blue backdrop

Electricity

There are a few extra power supplies in the theatre. On the side stage (stage right) is a technical cabinet with one 125A connection and three 32A connections. Up stage is another 125A connection at the back. On the stage left side there is one 63A connection in the middle of the stage. Furthermore, there are sufficient power sockets around the stage, also on the walkway, with fixed voltage, including some separate lines for audio.

Electrical Fly System

Number of fly bars: 24 – whereof 2 fixed

The theatre hall of Dommelhof has several variable speed fly bars. These are fly bar 5, fly bar 9, fly bar 10, fly bar 14, fly bar 15, fly bar 20, fly bar 21, fly bar 22 and the 2 side fly bars. The rest of the fly bars are not variable speed.

The fly bars are operated from the stage left side of the stage.

There are no fixed legs or drapes, but fly bar 2 and 3 are ALWAYS reserved for the fixed movie screen for the film performances on Tuesday.

- height proscenium fly bar 6.50 m
- height fly bars 7.70 m
- height side fly bars 7.00 m
- width fly bars 11.50 m

! ATTENTION !

Every Tuesday there is a film screening at the theatre hall of Dommelhof, regardless of the residences. This means that every Tuesday from 6 pm onwards, the stage must be clear from the stage edge up to and including the fixed film screen on fly bar 3. Also, fly bar 3 must be able to fully lower and rise without hindrance from any decor or light.


For large decors or props, always contact the technical coordinator beforehand.

Zaalbrug

DOMMELHOF

Hoogte proscenium: 6,50m
 Hoogte trekken: 7,70m
 Hoogte zijtrek: 7,00m
 Breedte trekken: 11,50m

Podiumrand tot achterwand: 12,50m
 Podiumrand tot Fond: 11,00m
 Breedte portaalopening: 12,00m



Audio

Dommelhof has a wide range of audio equipment. Various microphones, active or passive loudspeakers, analogue or digital mixing desks,... are available on request. In consultation with our technical coordinator and technical crew we will try to cater to your needs, taking into account the technical needs of other residencies and our own productions. Dommelhof consists of three fully equipped spaces and dozens of smaller multi-purpose rooms, so we cannot offer you a full and detailed inventory of our equipment.

We highly recommend communicating your technical needs relating audio well in advance with our technical coordinator.

- FOH-system

L / R: 2x D&B Ci90 with D&B D6 amp
 CENTER: 1x D&B Ci60 with D&B E-PAC amp
 SUB: 2x E-18 Sub with D&B E-PAC amp
 SURROUND: 12x surround speaker with D&B E-PAC amps

- Monitor system

On the technical bridge around the stage there are 4 speakers per side that can perfectly serve as stage sound for residencies, workshops and rehearsals. Also for monitoring at dance performances or scene-sur-scene.

Intercom

There is a wireless intercom system with 4 headsets, expandable with a wired system with another 4 headsets.

Lighting

Number of dimmers: 96 fixed dimmers van 2.5 kW (expansion is possible)

Dommelhof has a wide range of lighting equipment. Various fixtures, stage lights, dimmers,... are available on request. In consultation with our technical coordinator and technical crew we will try to cater to your needs, taking into account the technical needs of other residencies and our own productions. Dommelhof consists of three fully equipped spaces and dozens of smaller multi-purpose rooms, so we cannot offer you a full and detailed inventory of our equipment.

We highly recommend communicating your technical needs relating lighting well in advance with our technical coordinator.

Our fixed front bridge consists of:

- ➔ 12x 2 kW PC - 1 t.e.m. 12 on the plan below
- ➔ 6x 2 kW Profile - 25 t.e.m. 30 on the plan below

Video

For video projection, residencies can use our professional cinema projector (see specifications below) which is located in the control cabin. This is set by default on the movie screen (see drawing plan) but can also be used on the white backdrop. If a different screen or other projector is required, this should be discussed and tested in advance. If projection is used while there are other activities on stage (eg projection during concert), it is desirable to also discuss and test this in advance so that nobody is in the projection field. The projector can operate from the control booth, the side stage and the technical control zones (only in the middle and rear) in the room.

Specs projector:

Barco DP2K-19B

Lumen 19.000

Resolution 2,048 x 1,080 pixels

Inputs: HD/SD SDI, 2x DVI analog HD-15, analog 5-BNC, CVBS, Y/C (+VGA or HDMI)

Dommelhof also has several smaller beamers.

! ATTENTION !

Every Tuesday there is a film screening at the theatre hall of Dommelhof, regardless of the residences. This means that every Tuesday from 6 pm onwards, the stage must be clear from the stage edge up to and including the fixed film screen on fly bar 3. Also, fly bar 3 must be able to fully lower and rise without hindrance from any decor or light.

For large decors or props, always contact the technical coordinator beforehand.

Rigging

Dommelhof has a wide range of rigging equipment. In consultation with our technical coordinator and technical crew we will try to cater to your needs, taking into account the technical needs of other residencies and our own productions. Dommelhof consists of three fully equipped spaces and dozens of smaller multi-purpose rooms, so we cannot offer you a full and detailed inventory of our equipment. When using you own rigging equipment, we demand the required safety certificates.

We highly recommend communicating your technical needs relating rigging well in advance with our technical coordinator.


On stage, there are 14 rigging points with WLL 1.5 tons. (7 stage left, 7 right) incorporated in the floor, which can be used for, among other things, circus rigging (Chinese masts, etc.).

Safety

Open fires and pyro are not allowed. The use of hazers or smoke machines has to be communicated in advance with our technical crew. All set pieces have to be fire retardant and have the required certificates.

Location

Loading dock is accessible via Toekomstlaan (see plan below).



Contact

<p>Bart Heijnen <i>Technical Coordinator</i> bart.heijnen@limburg.be +32 (0)477 923 254</p>	<p>Jan Meuwissen <i>Theatre Technician</i> jan.meuwissen@limburg.be +32 (0)11 80 50 20</p>	<p>Tom Oversteijns <i>Theatre Technician</i> tom.oversteijns@limburg.be +32 (0)11 80 50 21</p>
<p>Jo Hulsbosch <i>Housekeeper</i> jo.hulsbosch@limburg.be +32 (0)473 695 078</p>	<p>Robbe Neyens <i>Theatre Technician</i> robbe.neyens@limburg.be +32 (0)11 80 50 22</p>	<p>Erik Minnen <i>Theatre Technician</i> erik.minnen@limburg.be +32 (0)11 80 50 23</p>